



<https://doi.org/10.30546/670832.2026.013.1048>

APPLICATION OF WEB SCRAPING AND DATABASE TECHNOLOGIES IN THE FORMATION OF A NATIONAL CORPUS FOR THE AZERBAIJANI LANGUAGE

¹Nubiyya Arif gizi, ²Yegane Pashayeva, ³Samira Hasanova, ⁴Gulshan Humbatova

¹a.nubiyya@gmail.com, ²yegane.pasha@gmail.com, ³samirahasanova75@gmail.com,

⁴humbatovagulshen@gmail.com

Institute of Mathematics

Abstract: This article presents the application of web scraping, Python-based text processing, and Oracle database technologies in the formation of a national written corpus for the Azerbaijani language. The main objective of the study is to automatically collect Azerbaijani-language texts from open web sources, including newspapers, journals, and official institutional websites, to perform initial cleaning and normalization, and to store the processed material in a structured database for further analysis. A key feature of the work is that corpus construction is not limited to the mechanical collection of texts. Instead, the process includes the extraction of the main article content from raw HTML pages, the elimination of encoding inconsistencies, the reduction of duplicate materials, the extraction of word units, the calculation of word frequencies through SQL queries, and the export of analytical results into CSV format. The proposed approach enabled the creation of an initial corpus of approximately half a million words and provided a practical basis for frequency analysis and further expert review by linguists. From the perspective of information technology, the article demonstrates the integrated use of programming, database design, and text-processing methods in the development of national language resources.

Keywords: national language corpus, Azerbaijani language, web scraping, Python, Oracle, SQL queries, CSV, text processing, word frequency.

Introduction

The rapid development of digital technologies has increased the importance of preserving, studying, and processing national languages in electronic environments. Language resources are no longer limited to printed dictionaries, grammar books, and traditional textual collections. A considerable amount of news, analytical writing, official documentation, scientific-popular material, and journalistic content is published on the Internet every day. Since these materials reflect actual patterns of written language use, they can serve as an important source for corpus construction.

A national language corpus is a digital resource that brings together texts belonging to a particular language in a systematic, structured, and searchable form. Such resources may be used in linguistic research, lexicographic work, terminology studies, the analysis of orthographic variants, information retrieval, and natural language processing applications. For national and comparatively low-resource languages such as Azerbaijani, the development of corpora is significant both scientifically and technologically.

In practical terms, corpus construction is a complex data-engineering process. Texts on web pages are not arranged according to a uniform structure. The main textual content is often mixed with menus, advertisements, social media buttons, related-content blocks, comments, and other technical fragments embedded in the HTML structure. In addition, the same article may be republished on different websites; some sources may contain encoding or alphabet-



related inconsistencies; and metadata fields may be incomplete. Therefore, web scraping alone is not sufficient for corpus construction. The collected material must also be cleaned, normalized, structured, and stored in a database that supports subsequent analysis.

This article presents the technical architecture of an initial national written corpus for the Azerbaijani language. The focus is not on developing a new theoretical model in linguistics, but on describing an information-technology-oriented workflow that combines Python-based web scraping, text preprocessing, Oracle database design, SQL-based frequency analysis, and CSV export of results. The involvement of linguistic specialists is reflected in the selection and evaluation of sources, the review of analytical outputs, and the interpretation of potentially significant lexical units.

1. National language corpora and the role of web text resources

Corpus technologies provide a reliable empirical basis for the electronic study of language. Whereas traditional linguistic analysis often relies on a limited set of examples selected by a researcher, a corpus-based approach makes it possible to analyze thousands or millions of word tokens statistically. This allows researchers to observe word frequencies, the distribution of phrases and constructions, genre-specific variation, and changes in language use over time.

Web sources provide broad and dynamic textual material for corpus formation. Newspaper websites reflect daily written communication and current vocabulary; journals represent analytical, scientific-popular, and publicistic styles; and official websites provide examples of administrative and normative language. Collecting texts from different types of sources contributes to a more balanced representation of genre and style. However, because web sources are structurally heterogeneous, their automatic processing requires a carefully designed software-based approach.

From an information-technology perspective, a web-based corpus can be viewed as a pipeline that transforms unstructured or semi-structured online content into structured, queryable data. This transformation includes the identification of reliable sources, the automatic retrieval of pages, the extraction of relevant content, the normalization of character encoding, the removal of duplicates and noise, the tokenization of text, and the storage of results in a database. Each stage affects the quality of the final corpus and the reliability of subsequent frequency calculations.

2. Research aim, tasks, and practical novelty

The aim of the study is to create an initial national written corpus database based on contemporary Azerbaijani-language web texts and to systematize the technical solutions applied during this process. The article does not aim to propose a new linguistic theory. Its main purpose is to demonstrate how texts collected from open web sources can be processed by software and converted into a structured database suitable for analysis.

To achieve this aim, several tasks were defined: selecting reliable Azerbaijani-language web sources; automatically retrieving texts from selected sources using Python; extracting the main textual content from HTML pages; normalizing encoding, symbol, and formatting inconsistencies; reducing duplicate materials; storing texts at the document and word levels in an Oracle database; calculating word frequencies using SQL queries; and exporting analytical outputs to CSV files for further inspection and use.

The practical novelty of the work lies in its technological integration. On the one hand, an initial corpus database was created from real Azerbaijani-language web sources. On the other hand, a workflow was developed in which Python, Oracle, SQL queries, and CSV-based



outputs are used together for corpus acquisition, processing, storage, and analysis. This approach provides a foundation for expanding the corpus, adding new sources, and moving toward more advanced linguistic annotation in future work.

The main novelty elements of the study may be summarized as follows:

- a practical scraping mechanism was established for collecting texts from open Azerbaijani-language web sources;
- raw HTML content was converted into corpus-ready text through cleaning and normalization procedures;
- the collected texts were structured in an Oracle database at the document and word levels;
- word frequencies were calculated by means of SQL queries and exported into CSV files;
- initial analytical outputs were prepared in a form that can be reviewed and used by linguistic specialists.

3. Methodology

3.1. Selection of data sources

The quality of a corpus largely depends on the reliability of the selected sources and the linguistic suitability of their texts. Therefore, the source-selection process considered the continuity of the websites, the availability of archive structures, the presence of Azerbaijani-language texts, the degree of compliance with normative written language, and the legal and ethical suitability of using the material for research purposes.

The sources were divided into three main groups: newspapers, journals, and official internet websites. This classification makes it possible to represent daily news language, analytical and publicistic style, and official-administrative language within the corpus. As a result, the corpus is not limited to a single type of text and can serve as a preliminary basis for comparing genre-related differences in future analyses.

3.2. Python-based web scraping and initial text processing

The web-scraping stage was implemented using the Python programming language. Python was selected because of its extensive ecosystem for HTTP requests, HTML parsing, text processing, file operations, and data export. At the initial stage, the URL structures of selected websites were examined, article links were collected, and the HTML content of each relevant page was downloaded.

HTML documents were not directly added to the corpus. First, the main article block was separated from the page structure. Menus, advertisements, social media elements, related-news blocks, comment sections, and other non-content elements were filtered out. The extracted texts were then organized at paragraph and sentence levels, while redundant spaces, repeated characters, and encoding-related inconsistencies were corrected.

Figure 1. General workflow of corpus formation

Stage 1	Stage 2	Stage 3	Stage 4	Stage 5
Selection of web sources	Scraping with Python	Text cleaning and normalization	Storage in Oracle DB	SQL queries and CSV outputs

3.3. Structure of the oracle database

The collected texts were stored in an Oracle database in order to support long-term preservation and query-based analysis. Oracle provides a stable environment for storing large volumes of relational data, executing structured queries, and managing analytical results. The



database model used in the study is based on the separation of document-level and word-level information.

A separate table for newly identified words was not created in this version of the system. Potentially new or linguistically interesting lexical units were identified primarily through SQL queries over the existing tables, frequency calculations, and subsequent analysis of CSV outputs. This design keeps the database structure relatively simple and allows the analytical results to be checked and edited as separate files.

Table 1. Main tables used in the Oracle database

Table	Main fields	Purpose
SENE	id_sened, source_type, source_name, date, url, title	Stores metadata about each text collected from the source.
SOZ	id_soz, id_sened, word, normalized_form, position	Stores word units extracted from the texts and links them to documents.
TEZLIK	id_tezlik, word, frequency, source_type, date_range	Stores or represents word-frequency indicators calculated through SQL queries.

3.4. Sql queries and preparation of csv outputs

The analysis of corpus data was mainly carried out through SQL queries. These queries were used to calculate the overall frequency of words, their distribution across source types, their occurrence within selected date ranges, and the repetition of selected word combinations. This approach creates a clear division of labor between the programming layer and the database layer: Python is mainly used for collection and preliminary processing, while SQL performs structured analysis over the stored data.

The obtained results were saved in CSV format. The advantage of CSV files is that they can be opened easily in spreadsheet applications, statistical packages, and Python environments. They are also convenient for linguistic specialists, who can review word lists, frequency indicators, and candidate lexical units without directly interacting with the database. Thus, the CSV format acts as an intermediate bridge between the computational system and linguistic expert evaluation.

3.5. Text cleaning and normalization

Raw texts collected from the web require a special cleaning stage before they can be considered suitable for a corpus. During this stage, HTML tags, menu fragments, advertising texts, repeated headings, and technical elements unrelated to the main text were removed. In addition, redundant spaces, line breaks, and non-standard character combinations were normalized.

Encoding is particularly important for the Azerbaijani language because some web sources may contain incorrectly represented Azerbaijani letters as a result of inconsistent character encoding. To prevent such problems, the texts were converted to a unified UTF-8 format, possible character inconsistencies were checked, and only cleaned texts were added to the corpus database.



The reduction of duplicate materials was also an important stage. The same article may appear on different websites or on multiple pages of the same website. Such duplication may artificially increase frequency values and distort the results of analysis. For this reason, an initial duplicate check was carried out on the basis of title similarity, text length, and textual overlap. In doubtful cases, results were inspected selectively.

4. Initial results and analytical opportunities

4.1. Corpus size and composition

At the initial stage, the developed corpus contains approximately half a million words. Although this volume should be considered a starting point rather than a complete national corpus, it is sufficient for preliminary observations on word frequency and the distribution of vocabulary across source types. In later stages, the number of sources can be increased and the corpus can be expanded to millions of words.

Table 2 summarizes the general size of the initial corpus formed during the study. At the current stage, the corpus contains approximately half a million word units obtained from selected web sources and processed through the Python-Oracle workflow.

Table 2. General indicators of the initial corpus

Total number of words:	approximately 500000
-------------------------------	----------------------

4.2. Calculation of word frequencies

One of the first applications of the corpus is the calculation of word frequencies. Frequency analysis makes it possible to identify the most frequently used words in the texts, distinguish functional words from content-bearing lexical units, observe the distribution of terminology, and compare different sources or genres. Such results may be useful for linguistics, lexicography, and information-retrieval systems.

Word frequencies were calculated by SQL grouping queries over the SOZ table stored in the Oracle database. The query results were exported into a CSV file. Table 3 presents sample entries from the word-frequency output.

Table 3. Sample word-frequency output from the CSV file

No.	Word	Frequency
1	ab	3346
2	abad	5257
3	abidə	11276

4.3. Use of results by linguistic specialists

The developed system is intended to be useful for linguistic specialists, although the primary focus of the article is information technology. The system enables linguists to obtain the frequency of a selected word across the corpus, observe its distribution by source type, and examine examples of its use in selected texts. This makes the system a technical resource that supports linguistic analysis without replacing expert linguistic interpretation.

The identification of new words and expressions is not implemented as a separate database table in this version of the work. Instead, it can be carried out through frequency lists, comparison with existing dictionaries, and CSV-based review. This approach preserves the simplicity of the database and allows linguistic specialists to edit, filter, and evaluate the results separately. As a result, the project establishes a practical model of cooperation between information-technology specialists and linguists.



5. Discussion

The presented work shows that the creation of a national corpus is not only a linguistic task but also a data-engineering problem. The collection, cleaning, storage, and query-based analysis of texts require a sequence of technical decisions. If these decisions are not carefully designed, the corpus may contain duplicates, technical noise, encoding errors, and inaccurate frequency results.

A strength of the proposed approach is that the technologies used are practical and extensible. Python provides a flexible environment for scraping and initial text processing. Oracle ensures stable structured storage and supports SQL-based analysis. CSV files, in turn, provide a simple format for sharing and verifying analytical results. The combination of these components is appropriate for an information-technology-oriented approach to corpus development.

At the same time, the work has several limitations. Although the initial corpus contains approximately half a million words, this should be regarded as an early stage of a larger national corpus. Source and genre balance must be adjusted more precisely in future work. Furthermore, morphological and syntactic annotation are not the main focus of the present article. When these layers are added in later stages, the scientific and technological value of the corpus will increase significantly.

Another limitation concerns the evaluation of automatically obtained results. Frequency lists and candidate lexical units require expert review, especially in cases where technical fragments, spelling variants, abbreviations, or proper names appear in the output. Therefore, the role of linguistic specialists remains essential. The current system should be understood as a technical platform that prepares structured and measurable data for expert interpretation.

Conclusion

This article presented the application of web scraping, Python-based text processing, and Oracle database technologies in the formation of an initial national written corpus for the Azerbaijani language. It was shown that texts collected from open web sources cannot be considered corpus-ready immediately after downloading. They must be cleaned, normalized in terms of encoding, reduced for duplicates, and stored in a structured database.

As a result of the study, Azerbaijani-language texts were collected from sources such as newspapers, journals, and official internet websites, and an initial corpus of approximately half a million words was formed. The texts were stored in an Oracle database at the document and word levels. Word frequencies were calculated using SQL queries, and the results were exported to CSV files. These outputs demonstrate both a functional corpus architecture from an information-technology perspective and initial analytical opportunities that can be used by linguistic specialists.

Future work will include increasing the size and balance of the corpus, adding more diverse sources, improving duplicate detection, expanding the set of SQL-based analytical queries, and developing morphological and syntactic annotation layers. These improvements will make the corpus more valuable for linguistic research, lexicography, terminology studies, and future natural language processing applications for the Azerbaijani language.

REFERENCES

1. McEnery, T., & Hardie, A. (2012). *Corpus Linguistics: Method, Theory and Practice*. Cambridge University Press.
2. Sinclair, J. (1991). *Corpus, Concordance, Collocation*. Oxford University Press.



3. Biber, D., Conrad, S., & Reppen, R. (1998). *Corpus Linguistics: Investigating Language Structure and Use*. Cambridge University Press.
4. Kilgarriff, A., & Grefenstette, G. (2003). Introduction to the special issue on the Web as Corpus. *Computational Linguistics*, 29(3), 333-347.
5. Sharoff, S. (2006). Creating general-purpose corpora using automated search engine queries. In *WaCky! Working Papers on the Web as Corpus*.
6. Baroni, M., Bernardini, S., Ferraresi, A., & Zanchetta, E. (2009). The WaCky wide web: a collection of very large linguistically processed web-crawled corpora. *Language Resources and Evaluation*, 43, 209-226.
7. Manning, C.D., & Schütze, H. (1999). *Foundations of Statistical Natural Language Processing*. MIT Press.
8. Jurafsky, D., & Martin, J.H. *Speech and Language Processing*. Draft textbook.
9. Bird, S., Klein, E., & Loper, E. (2009). *Natural Language Processing with Python*. O'Reilly Media.
10. Liu, B. (2011). *Web Data Mining: Exploring Hyperlinks, Contents, and Usage Data*. Springer.
11. Mitchell, R. (2018). *Web Scraping with Python: Collecting More Data from the Modern Web*. O'Reilly Media.
12. Oracle. *Oracle Database SQL Language Reference*. Oracle Documentation.
13. Wynne, M. (Ed.). (2005). *Developing Linguistic Corpora: A Guide to Good Practice*. Oxbow Books.
14. Leech, G. (1992). Corpora and theories of linguistic performance. In *Directions in Corpus Linguistics*. Mouton de Gruyter.
15. Azərbaycan Respublikasının orfoqrafiya lüğəti və Azərbaycan dili üzrə mövcud normativ mənbələr.

**AZƏRBAYCAN DİLİ ÜÇÜN MİLLİ KORPUSUN FORMALAŞDIRILMASINDA
WEB SCRAPİNG VƏ VERİLƏNLƏR BAZASI TEXNOLOGİYALARININ TƏTBİQİ**
Nübiyyə Arif qızı, Yeganə Paşayeva, Samirə Həsənova, Gülşən Hübətova
Riyaziyyat İnstitutu

XÜLASƏ

Məqalədə Azərbaycan dili üçün milli yazılı korpusun formalaşdırılması prosesində web scraping, Python əsaslı mətn emalı və Oracle verilənlər bazası texnologiyalarının tətbiqi təqdim olunur. Tədqiqatın əsas məqsədi qəzet, jurnal və rəsmi internet saytları kimi açıq veb mənbələrindən Azərbaycan dilində mətnlərin avtomatik toplanması, ilkin təmizlənməsi, strukturlaşdırılması və sonrakı analiz üçün verilənlər bazasında saxlanmasıdır. İşin mühüm cəhəti ondan ibarətdir ki, korpusun yaradılması yalnız mətnlərin toplanması ilə məhdudlaşmır; xam HTML məzmunundan əsas məqalə mətninin ayrılması, kodlaşdırma uyğunsuzluqlarının aradan qaldırılması, dublikat materialların müəyyənləşdirilməsi, söz vahidlərinin çıxarılması və tezlik nəticələrinin SQL sorğuları vasitəsilə CSV formatına ixracı kimi mərhələlər vahid texnoloji ardıcılıq şəklində qurulur. Hazırlanmış yanaşma təxminən yarım milyon söz həcmində ilkin korpus bazasının formalaşdırılmasına, söz tezliklərinin hesablanmasına və dilçi mütəxəssislər üçün istifadə oluna bilən analitik nəticələrin əldə edilməsinə imkan verir. Məqalə informasiya texnologiyaları baxımından milli dil resurslarının yaradılmasında proqramlaşdırma, verilənlər bazası və mətn emalı texnologiyalarının qarşılıqlı tətbiqini izah edir.



Açar sözlər: milli dil korpusu, Azərbaycan dili, web scraping, Python, Oracle, SQL sorğuları, CSV, mətn emalı, söz tezliyi.

ПРИМЕНЕНИЕ ВЕБ-СКРЕЙПИНГА И ТЕХНОЛОГИЙ БАЗ ДАННЫХ В ФОРМИРОВАНИИ НАЦИОНАЛЬНОГО КОРПУСА АЗЕРБАЙДЖАНСКОГО ЯЗЫКА

Нубия Ариф кызы, Егяна Пашаева, Самира Гасанова, Гюльшан Гумбатова
Институт математики

РЕЗЮМЕ

В данной статье представлено применение технологий веб-скрейпинга, обработки текста на основе Python и баз данных Oracle для формирования национального письменного корпуса азербайджанского языка. Основная цель исследования – автоматический сбор текстов на азербайджанском языке из открытых веб-источниках, включая газеты, журналы и официальные сайты учреждений, проведение первоначальной очистки и нормализации, а также сохранение обработанного материала в структурированной базе данных для дальнейшего анализа. Ключевой особенностью работы является то, что построение корпуса не ограничивается механическим сбором текстов. Вместо этого процесс включает извлечение основного содержания статьи из исходных HTML-страниц, устранение несоответствий кодировки, сокращение дублирующихся материалов, извлечение словесных единиц, расчет частоты слов с помощью SQL-запросов и экспорт результатов анализа в формат CSV. Предложенный подход позволил создать первоначальный корпус объемом около полумиллиона слов и обеспечил практическую основу для частотного анализа и дальнейшей экспертной оценки лингвистами. С точки зрения информационных технологий, в статье демонстрируется комплексное использование методов программирования, проектирования баз данных и обработки текста при разработке национальных языковых ресурсов.

Ключевые слова: корпус национальных языков, азербайджанский язык, веб-скрейпинг, Python, Oracle, SQL-запросы, CSV, обработка текста, частотность слов.

Redaksiyaya daxilolma: 27.05.2026

Çapa qəbul olunma: 30.06.2026

